

Write your questions and thoughts here!

$$x + x =$$

$$\lim_{x \rightarrow c} [f(x) + f(x)] =$$


Example 1:

$\lim_{x \rightarrow -1} f(x) = 2$	$\lim_{x \rightarrow 1} f(x) = 4$	$\lim_{x \rightarrow 1} g(x) = 6$
------------------------------------	-----------------------------------	-----------------------------------

The table above gives selected limits of the functions f and g . What is $\lim_{x \rightarrow 1} \left(f(-x) + \frac{g(x)}{2} \right)$?

Example 2:

The graph of the function f is shown on the right. What is $\lim_{x \rightarrow 4} f(f(x))$?



Graph of f

Example 3:

$f(5) = 1$	$\lim_{x \rightarrow 5} f(x) = 6$
$g(5) = 2$	$\lim_{x \rightarrow 5} g(x) = -1$
$h(5) = 3$	$\lim_{x \rightarrow 5} h(x) = 5$

The table above gives selected values and limits of the functions f , g , and h .

What is $\lim_{x \rightarrow 5} \left(h(x)(f(x) + 2g(x)) \right) - h(5)$?

Example 4: Piecewise Functions

Piecewise defined functions and limits

$$f(x) = \begin{cases} \sqrt{11-x}, & x < -5 \\ \frac{x+3}{5-x^2}, & x \geq -5 \end{cases}$$

a. $\lim_{x \rightarrow -5^-} f(x) =$ b. $\lim_{x \rightarrow -5^+} f(x) =$

c. $\lim_{x \rightarrow -5} f(x) =$

$$g(x) = \begin{cases} \sqrt{10-x^2}, & x < -1 \\ \frac{26-5x^2}{7}, & -1 < x \leq e \\ \ln x^3, & x > e \end{cases}$$

a. $\lim_{x \rightarrow -1} g(x) =$ b. $\lim_{x \rightarrow e^+} g(x) =$

c. $\lim_{x \rightarrow e} g(x) =$

1.5 Algebraic Properties of Limits

Calculus

Practice

Use the table for each problem to find the given limits.

1.

$\lim_{x \rightarrow 3} f(x) = 4$	$\lim_{x \rightarrow -3} f(x) = 2$	$\lim_{x \rightarrow 3} g(x) = 1$	$\lim_{x \rightarrow -3} g(x) = 5$
-----------------------------------	------------------------------------	-----------------------------------	------------------------------------

a. $\lim_{x \rightarrow 3} (2f(x) + g(-x))$

b. $\lim_{x \rightarrow -3} \left(\frac{g(x)}{f(-x)} \right)$

2.


$\lim_{x \rightarrow 2} f(x) = -1$	$\lim_{x \rightarrow 1} f(x) = 6$	$\lim_{x \rightarrow 4} f(x) = 2$	$\lim_{x \rightarrow -2} f(x) = -3$
------------------------------------	-----------------------------------	-----------------------------------	-------------------------------------

a. $\lim_{x \rightarrow 2} \left(f(2x) - f\left(\frac{x}{2}\right) \right)$

b. $\lim_{x \rightarrow 2} \left(\frac{f\left(\frac{x}{2}\right)}{f(-x)} \right)$

Use the graph for each problem to find the given limits.

3.




Graph of f

a. $\lim_{x \rightarrow 3} f(f(x)) =$

b. $\lim_{x \rightarrow 1} f(f(x)) =$

4.



Graph of f

a. $\lim_{x \rightarrow -2} f(f(x)) =$

b. $\lim_{x \rightarrow 4} f(f(x)) =$

Use the table for each problem to find the given limits.

5.

$f(1) = 4$	$\lim_{x \rightarrow 1} f(x) = -1$
$g(1) = -2$	$\lim_{x \rightarrow 1} g(x) = 3$
$h(1) = -3$	$\lim_{x \rightarrow 1} h(x) = 6$

a. $\lim_{x \rightarrow 1} \left((f(x))^2 - h(x) \right) - g(1)$

b. $f(1) + \lim_{x \rightarrow 1} (-g(x))$

6.

$f(-2) = 7$	$\lim_{x \rightarrow -2} f(x) = 2$
$g(-2) = 1$	$\lim_{x \rightarrow -2} g(x) = -1$
$h(-2) = -4$	$\lim_{x \rightarrow -2} h(x) = -3$

a. $\lim_{x \rightarrow -2} (h(x)(2f(x))) + h(-2)$

b. $f(-2) \lim_{x \rightarrow -2} (g(x) - h(x))$

Use the piecewise functions to find the given values.

7. $g(x) = \begin{cases} \sqrt{5-x}, & x < -4 \\ x^2 - 5, & -4 \leq x < 2 \\ x - 3, & x \geq 2 \end{cases}$

a. $\lim_{x \rightarrow 2^-} g(x) =$

b. $\lim_{x \rightarrow -4^+} g(x) =$

c. $g(2) =$

d. $\lim_{x \rightarrow -4^-} g(x) =$

e. $\lim_{x \rightarrow 2^+} g(x) =$

f. $\lim_{x \rightarrow 2} g(x) =$

g. $\lim_{x \rightarrow -4} g(x) =$

h. $g(-4) =$

8. $h(x) = \begin{cases} -|x|, & x \leq -5 \\ 20 - x^2, & -5 < x \leq 3 \\ 4x - 1, & x > 3 \end{cases}$

a. $\lim_{x \rightarrow -5^+} h(x) =$

b. $\lim_{x \rightarrow -5} h(x) =$

c. $h(3) =$

d. $\lim_{x \rightarrow -5^-} h(x) =$

e. $\lim_{x \rightarrow 3^+} h(x) =$

f. $\lim_{x \rightarrow 3} h(x) =$

g. $h(-5) =$

h. $\lim_{x \rightarrow 3^-} h(x) =$

9. $w(\theta) = \begin{cases} \sin \theta, & \theta \leq \pi \\ \cos \theta, & \pi < \theta < 2\pi \\ \tan \theta, & \theta > 2\pi \end{cases}$

a. $\lim_{x \rightarrow \pi^-} w(\theta) =$

b. $w(\pi) =$

c. $\lim_{x \rightarrow \pi^+} w(\theta) =$

d. $\lim_{x \rightarrow 2\pi^-} w(\theta) =$

e. $\lim_{x \rightarrow \pi} w(\theta) =$

f. $\lim_{x \rightarrow 2\pi^+} w(\theta) =$

g. $\lim_{x \rightarrow 2\pi} w(\theta) =$

h. $w(2\pi) =$

10. $f(x) = \begin{cases} \frac{1}{x+6}, & x < -2 \\ 2^x, & -2 \leq x < 0 \\ x^2 - 4, & x \geq 0 \end{cases}$

a. $\lim_{x \rightarrow -2^+} f(x) =$

b. $\lim_{x \rightarrow -2^-} f(x) =$

c. $\lim_{x \rightarrow -2^+} f(x) =$

d. $\lim_{x \rightarrow 0} f(x) =$

e. $\lim_{x \rightarrow 0^-} f(x) =$

f. $\lim_{x \rightarrow 0^+} f(x) =$

g. $f(-2) =$

h. $f(0) =$

1.5 Algebraic Properties of Limits

11. If f is a continuous function such that $f(3) = 7$, which of the following statements must be true?

(A) $\lim_{x \rightarrow 3} f(3x) = 9$

(B) $\lim_{x \rightarrow 3} f(2x) = 14$

(C) $\lim_{x \rightarrow 3} \frac{f(x) - f(3)}{x - 3} = 7$

(D) $\lim_{x \rightarrow 3} f(x^2) = 49$

(E) $\lim_{x \rightarrow 3} (f(x))^2 = 49$

12. If $f(x) = \begin{cases} \ln 3x, & 0 < x \leq 3 \\ x \ln 3, & 3 < x \leq 4 \end{cases}$, then $\lim_{x \rightarrow 3} f(x)$ is

(A) $\ln 9$

(B) $\ln 27$

(C) $3 \ln 3$

(D) $3 + \ln 3$

(E) nonexistent

13. If $f(x) = \begin{cases} \ln x & \text{for } 0 < x \leq 2 \\ x^2 \ln 2 & \text{for } 2 < x \leq 4 \end{cases}$, then $\lim_{x \rightarrow 2} f(x)$ is

(A) $\ln 2$

(B) $\ln 8$

(C) $\ln 16$

(D) 4

(E) nonexistent