

## Problem 1

You have a paint roller that has a diameter of 3 inches.

You push the roller against the wall and it travels  $1020^\circ$

1. What is the number of revolutions that the roller has travelled?

$$1020^\circ / 360^\circ = \frac{17}{6} \text{ revs} \approx 2.8333333 \text{ revolutions}$$

$$\approx 2.83 \text{ revolutions}$$

OR

$$1020^\circ \cdot \frac{\pi \text{ radians}}{180^\circ} = \frac{17 \cdot \pi}{3} \text{ radians}$$

$$\frac{17 \cdot \pi}{3} \text{ radians} \cdot \frac{1 \text{ rev}}{2 \cdot \pi} = \frac{17}{6} \text{ revs} \approx 2.8333333 \text{ revolutions}$$

$$\approx 2.83 \text{ revolutions}$$

You have a paint roller that has a diameter of 3 inches.

You push the roller against the wall and it travels  $1020^\circ$

2. What is the measure of the angle in radians?

$$1020^\circ \cdot \frac{\pi \text{ radians}}{180^\circ} = \frac{17 \cdot \pi}{3} \text{ radians} \approx 17.802358 \text{ radians}$$

$$\theta = 1020 \cdot \pi / 180 \text{ radians} = \frac{17 \cdot \pi}{3} \text{ radians}$$

$$\approx 5.67 \pi \text{ radians}$$

$$\approx 17.802358 \text{ radians}$$

So at this point we know  $\theta = \frac{17 \cdot \pi}{3}$  radians and  $r = \frac{3}{2}$  inches or  $r = \frac{1}{8}$  feet

3. If the paint on the roller was dispensed from the beginning of the motion, then how far on the wall have you painted (linearly)?

$$AL = \theta \cdot r$$

$$= \frac{17 \cdot \pi}{3} \text{ radians} \cdot \frac{3}{2} \text{ inches}$$

$$= \frac{17 \cdot \pi}{2} \text{ inches}$$

$$\approx 26.7 \text{ inches}$$

$$AL = \theta \cdot r$$

$$= \frac{17 \cdot \pi}{3} \text{ radians} \cdot \frac{1}{8} \text{ feet}$$

$$= \frac{17 \cdot \pi}{24} \text{ feet}$$

$$\approx 2.23 \text{ feet}$$

So at this point we know  $\theta = \frac{17 \cdot \pi}{3}$  radians and  $r = \frac{3}{2}$  inches or  $r = \frac{1}{8}$  feet

$$AL \text{ in inches} = \frac{17 \cdot \pi}{2} \text{ inches} \quad AL \text{ in feet} = \frac{17 \cdot \pi}{24} \text{ feet}$$

4. If it took you 45 seconds to perform this task, then state each of the following

a. Linear speed in inches per second

$$LS = \frac{AL}{t} = \frac{17 \cdot \pi}{2} \text{ inches} / 45 \text{ seconds}$$

$$= \frac{17 \cdot \pi}{2} \cdot \frac{1}{45} \frac{\text{inches}}{\text{second}}$$

$$= \frac{17 \cdot \pi}{90} \frac{\text{inches}}{\text{second}}$$

$$\approx 2.67 \frac{\text{inches}}{\text{second}}$$

So at this point we know  $\theta = \frac{17 \cdot \pi}{3}$  radians and  $r = \frac{3}{2}$  inches or  $r = \frac{1}{8}$  feet

$$\text{AL in inches} = \frac{17 \cdot \pi}{2} \text{ inches} \quad \text{AL in feet} = \frac{17 \cdot \pi}{24} \text{ feet}$$

$$\text{LS in } \frac{\text{inches}}{\text{sec}} = \frac{17 \cdot \pi \text{ inches}}{20 \text{ sec}}$$

4. If it took you 45 seconds to perform this task, then state each of the following  
c. Linear speed in feet per second

$$\begin{aligned} \text{LS} &= \frac{AL}{t} = \frac{17 \cdot \pi}{24} \text{ feet / 10 second} \\ &= \frac{17 \cdot \pi}{24} \cdot \frac{1 \text{ foot}}{10 \text{ sec}} \\ &= \frac{17 \cdot \pi \text{ feet}}{240 \text{ sec}} \\ &\approx 0.22 \frac{\text{feet}}{\text{sec}} \end{aligned}$$

So at this point we know  $\theta = \frac{17 \cdot \pi}{3}$  radians and  $r = \frac{3}{2}$  inches or  $r = \frac{1}{8}$  feet

$$\text{AL in inches} = \frac{17 \cdot \pi}{2} \text{ inches} \quad \text{AL in feet} = \frac{17 \cdot \pi}{24} \text{ feet}$$

$$\text{LS in } \frac{\text{inches}}{\text{sec}} = \frac{17 \cdot \pi \text{ inches}}{20 \text{ sec}} \quad \text{LS in } \frac{\text{feet}}{\text{sec}} = \frac{17 \cdot \pi \text{ feet}}{240 \text{ sec}}$$

4. If it took you 45 seconds to perform this task, then state each of the following  
c. Linear speed in feet per minute

$$\begin{aligned} \text{LS} &= \frac{AL}{t} = \frac{17 \cdot \pi}{24} \text{ feet / } \frac{1}{6} \text{ minute} \\ &= \frac{17 \cdot \pi}{24} \cdot 6 \frac{\text{feet}}{\text{minute}} \\ &= \frac{17 \cdot \pi \text{ feet}}{4 \text{ minute}} \\ &\approx 13.35 \frac{\text{feet}}{\text{minute}} \end{aligned}$$

So at this point we know  $\theta = \frac{17 \cdot \pi}{3}$  radians and  $r = \frac{3}{2}$  inches or  $r = \frac{1}{8}$  feet

$$\text{AL in inches} = \frac{17 \cdot \pi}{2} \text{ inches} \quad \text{AL in feet} = \frac{17 \cdot \pi}{24} \text{ feet} \quad \text{LS in } \frac{\text{inches}}{\text{sec}} = \frac{17 \cdot \pi \text{ inches}}{20 \text{ sec}}$$

$$\text{LS in } \frac{\text{feet}}{\text{sec}} = \frac{17 \cdot \pi \text{ feet}}{240 \text{ sec}} \quad \text{LS in } \frac{\text{feet}}{\text{minute}} = \frac{17 \cdot \pi \text{ feet}}{4 \text{ minute}}$$

5. If it took you 45 seconds to perform this task, then state each of the following  
a. Angular speed in radians per second

$$\begin{aligned} \text{AS} &= \frac{\theta}{t} = \frac{17 \cdot \pi}{3} \text{ radians / 10 seconds} \\ &= \frac{17 \cdot \pi}{3} \cdot \frac{1 \text{ radians}}{10 \text{ second}} \\ &= \frac{17 \cdot \pi \text{ radians}}{30 \text{ second}} \\ &\approx 1.78 \frac{\text{radians}}{\text{second}} \end{aligned}$$

So at this point we know  $\theta = \frac{17 \cdot \pi}{3}$  radians and  $r = \frac{3}{2}$  inches or  $r = \frac{1}{8}$  feet

$$\text{AL in inches} = \frac{17 \cdot \pi}{2} \text{ inches} \quad \text{AL in feet} = \frac{17 \cdot \pi}{24} \text{ feet} \quad \text{LS in } \frac{\text{inches}}{\text{sec}} = \frac{17 \cdot \pi \text{ inches}}{20 \text{ sec}}$$

$$\text{LS in } \frac{\text{feet}}{\text{sec}} = \frac{17 \cdot \pi \text{ feet}}{240 \text{ sec}} \quad \text{LS in } \frac{\text{feet}}{\text{minute}} = \frac{17 \cdot \pi \text{ feet}}{4 \text{ minute}} \quad \text{AS in } \frac{\text{radians}}{\text{second}} = \frac{17 \cdot \pi \text{ radians}}{30 \text{ second}}$$

5. If it took you 45 seconds to perform this task, then state each of the following  
b. Angular speed in radians per minute

$$\begin{aligned} \text{AS} &= \frac{\theta}{t} = \frac{17 \cdot \pi}{3} \text{ radians / } \frac{1}{6} \text{ minute} \\ &= \frac{17 \cdot \pi}{3} \cdot 6 \frac{\text{radians}}{\text{minute}} \\ &= 34 \cdot \pi \frac{\text{radians}}{\text{minute}} \\ &\approx 106.81 \frac{\text{radians}}{\text{minute}} \end{aligned}$$

What if we did  
 Problem 5 FIRST,  
 then we did  
 Problem 4?

So at this point we know  $\theta = \frac{17 \cdot \pi}{3}$  radians and  $r = \frac{3}{2}$  inches or  $r = \frac{1}{8}$  feet

$$\text{AL in inches} = \frac{17 \cdot \pi}{2} \text{ inches} \quad \text{AL in feet} = \frac{17 \cdot \pi}{24} \text{ feet} \quad \text{AS in } \frac{\text{radians}}{\text{second}} = \frac{17 \cdot \pi}{30} \frac{\text{radians}}{\text{second}}$$

$$\text{AS in} = 34 \cdot \pi \frac{\text{radians}}{\text{minute}}$$

4. If it took you 45 seconds to perform this task, then state each of the following

a. Linear speed in inches per second

$$\begin{aligned} \text{LS} = \text{AS} \cdot r &= \frac{17 \cdot \pi}{30} \frac{\text{radians}}{\text{sec}} \cdot \frac{3}{2} \text{ inches} \\ &= \frac{17 \cdot \pi}{20} \frac{\text{inches}}{\text{second}} \\ &\approx 2.67 \frac{\text{inches}}{\text{second}} \end{aligned}$$

So at this point we know  $\theta = \frac{17 \cdot \pi}{3}$  radians and  $r = \frac{3}{2}$  inches or  $r = \frac{1}{8}$  feet

$$\text{AL in inches} = \frac{17 \cdot \pi}{2} \text{ inches} \quad \text{AL in feet} = \frac{17 \cdot \pi}{24} \text{ feet} \quad \text{AS in } \frac{\text{radians}}{\text{second}} = \frac{17 \cdot \pi}{30} \frac{\text{radians}}{\text{second}}$$

$$\text{AS in} = 34 \cdot \pi \frac{\text{radians}}{\text{minute}} \quad \text{LS in } \frac{\text{inches}}{\text{sec}} = \frac{17 \cdot \pi}{20} \frac{\text{inches}}{\text{sec}}$$

4. If it took you 45 seconds to perform this task, then state each of the following

b. Linear speed in feet per second

$$\begin{aligned} \text{LS} = \text{AS} \cdot r &= \frac{17 \cdot \pi}{30} \frac{\text{radians}}{\text{sec}} \cdot \frac{1}{8} \text{ foot} \quad \text{OR} \quad \text{LS} = \text{LS} \frac{\text{inches}}{\text{second}} \cdot \frac{1 \text{ foot}}{12 \text{ inches}} \\ &= \frac{17 \cdot \pi}{240} \frac{\text{feet}}{\text{second}} && = \frac{17 \cdot \pi}{20} \cdot \frac{1}{12} \frac{\text{feet}}{\text{second}} \\ &\approx 0.22 \frac{\text{feet}}{\text{second}} && = \frac{17 \cdot \pi}{240} \frac{\text{feet}}{\text{second}} \\ &&& \approx 0.22 \frac{\text{feet}}{\text{second}} \end{aligned}$$

So at this point we know  $\theta = \frac{17 \cdot \pi}{3}$  radians and  $r = \frac{3}{2}$  inches or  $r = \frac{1}{8}$  feet

$$\text{AL in inches} = \frac{17 \cdot \pi}{2} \text{ inches} \quad \text{AL in feet} = \frac{17 \cdot \pi}{24} \text{ feet} \quad \text{AS in } \frac{\text{radians}}{\text{second}} = \frac{17 \cdot \pi}{30} \frac{\text{radians}}{\text{second}}$$

$$\text{AS in} = 34 \cdot \pi \frac{\text{radians}}{\text{minute}} \quad \text{LS in } \frac{\text{inches}}{\text{sec}} = \frac{17 \cdot \pi}{20} \frac{\text{inches}}{\text{sec}} \quad \text{LS in } \frac{\text{feet}}{\text{second}} = \frac{17 \cdot \pi}{240} \frac{\text{feet}}{\text{second}}$$

4. If it took you 45 seconds to perform this task, then state each of the following

c. Linear speed in feet per minute

$$\begin{aligned} \text{LS} = \text{AS} \cdot r &= 34 \cdot \pi \frac{\text{radians}}{\text{minute}} \cdot \frac{1}{8} \text{ foot} \quad \text{OR} \quad \text{LS} = \text{LS} \frac{\text{feet}}{\text{second}} \cdot \frac{60 \text{ seconds}}{1 \text{ minute}} \\ &= \frac{17 \cdot \pi}{4} \frac{\text{feet}}{\text{minute}} && = \frac{17 \cdot \pi}{240} \cdot \frac{60}{1} \frac{\text{feet}}{\text{minute}} \\ &\approx 13.35 \frac{\text{feet}}{\text{minute}} && = \frac{17 \cdot \pi}{4} \frac{\text{feet}}{\text{second}} \\ &&& \approx 13.35 \frac{\text{feet}}{\text{second}} \end{aligned}$$

$$1) 1020/360 = \frac{17}{6} \text{ revolutions} = 2.83 \text{ revolutions}$$

$$2) 1020 \cdot \frac{\pi}{180} = \frac{17 \cdot \pi}{3} \text{ radians} \approx 5.6666667 \pi \text{ radians} \approx 17.8 \text{ radians}$$

$$3) 1020 \cdot \frac{\pi}{180} \cdot \frac{3}{2} = 1530 \cdot \frac{\pi}{180} \text{ inches} = \frac{17 \cdot \pi}{2} \text{ inches} \approx 8.5 \pi \text{ inches} \approx 26.7 \text{ inches}$$

$$1020 \cdot \frac{\pi}{180} \cdot \frac{1}{8} = \frac{255}{2} \cdot \frac{\pi}{180} \text{ feet} = \frac{17 \cdot \pi}{24} \text{ feet} \approx 0.70833333 \pi \text{ feet} \approx 2.23 \text{ feet}$$

$$4a) 1020 \cdot \frac{\pi}{180} \cdot \frac{3}{2} \cdot \frac{1}{10} = 1530 \cdot \frac{\pi}{1800} \frac{\text{inches}}{\text{second}} = \frac{17 \cdot \pi}{20} \frac{\text{inches}}{\text{second}} \approx 0.85 \pi \frac{\text{inches}}{\text{second}} \approx 2.67 \frac{\text{inches}}{\text{second}}$$

$$4b) 1020 \cdot \frac{\pi}{180} \cdot \frac{1}{8} \cdot \frac{1}{10} = \frac{255}{2} \cdot \frac{\pi}{1800} \frac{\text{feet}}{\text{second}} = \frac{17 \cdot \pi}{240} \frac{\text{feet}}{\text{second}} \approx 0.07083333 \pi \frac{\text{feet}}{\text{second}} \approx 0.22 \frac{\text{feet}}{\text{second}}$$

$$\frac{17 \cdot \pi}{20} \frac{\text{inches}}{\text{second}} \cdot \frac{1 \text{ foot}}{12 \text{ inches}} = \frac{17 \cdot \pi}{240} \frac{\text{feet}}{\text{second}} \approx 0.07083333 \pi \frac{\text{feet}}{\text{second}} \approx 0.22 \frac{\text{feet}}{\text{second}}$$

$$4c) 1020 \cdot \frac{\pi}{180} \cdot \frac{1}{8} \cdot 1 / \left(\frac{1}{6}\right) = \frac{255}{2} \cdot \frac{\pi}{30} \frac{\text{feet}}{\text{minute}} = \frac{17 \cdot \pi}{4} \frac{\text{feet}}{\text{minute}} \approx 4.25 \pi \frac{\text{feet}}{\text{minute}} \approx 13.35 \frac{\text{feet}}{\text{minute}}$$

$$\frac{17 \cdot \pi}{240} \frac{\text{feet}}{\text{second}} \cdot \frac{60 \text{ seconds}}{1 \text{ minute}} = \frac{17 \cdot \pi}{4} \frac{\text{feet}}{\text{minute}} \approx 4.25 \pi \frac{\text{feet}}{\text{minute}} \approx 13.35 \frac{\text{feet}}{\text{minute}}$$

$$5a) 1020 \cdot \frac{\pi}{180} \cdot \frac{1}{10} = 1020 \cdot \frac{\pi}{1800} \frac{\text{radians}}{\text{second}} = \frac{17 \cdot \pi}{30} \approx 0.56666667 \pi \frac{\text{radians}}{\text{second}} \approx 1.78 \frac{\text{radians}}{\text{second}}$$

$$5b) 1020 \cdot \frac{\pi}{180} \cdot 1 / \left(\frac{1}{6}\right) = 1020 \cdot \frac{\pi}{30} \frac{\text{radians}}{\text{minute}} = 34 \cdot \pi \approx 34 \cdot \pi \frac{\text{radians}}{\text{minute}} \approx 106.81 \frac{\text{radians}}{\text{minute}}$$

$$\frac{17 \cdot \pi}{30} \frac{\text{radians}}{\text{second}} \cdot \frac{60 \text{ seconds}}{1 \text{ minute}} = 34 \cdot \pi \frac{\text{radians}}{\text{minute}} \approx 34 \cdot \pi \frac{\text{radians}}{\text{minute}} \approx 106.81 \frac{\text{radians}}{\text{minute}}$$

	A	B	C	D	E	F	G	H	I	J
1			exact		approximate					
2	given	d_1	3	inches		3	inches			
3		r_1	3/2	inches		1.5	inches			
4		r_2	1/8	feet		0.13	feet			
5	given	angle_1	1020	degrees		1020	degrees			
6		angle_1r	17*pi/3	radians		17.8	radians		5.66666...pi	
7		rev_1	17/6	revs		2.83	revs			
8		as_1	17*pi/30	rad/second		1.78	rad/second		0.56666...pi	
9		as_2	34*pi	rad/minute		106.81	rad/minute		34	pi
10		ls_1	17*pi/20	inches/second		2.67	inches/second		0.85	pi
11		ls_2	51*pi	inch/minute		160.22	inch/minute		51	pi
12		ls_3	17*pi/240	feet/second		0.22	feet/second		0.07083...pi	
13		ls_4	17*pi/4	feet/minute		13.35	feet/minute		4.25	pi
14	given	t_1	10	seconds		10	seconds			
15		t_2	1/6	minute		0.17	minute			
16		aL_1	17*pi/2	inches		26.7	inches		8.5	pi
17		aL_2	17*pi/24	feet		2.23	feet		0.70833...pi	
18										
19										
20										
21										
22										

## Problem 2

6. You are pulling a cart and the cart's wheel is 20 inches in diameter and you notice that the wheel is making 1.8 revolutions per second

a. Determine the angular speed of the cart's wheel (leave answer in radians/second)

$$AS = 1.8 \frac{\text{revs}}{\text{second}} \cdot \frac{2 \cdot \pi \text{ radian}}{1 \text{ rev}} = 3.6 \pi \frac{\text{rad}}{\text{second}} = 11.31 \frac{\text{rad}}{\text{second}}$$

b. Determine the speed of the cart (give exact and approximate speed in inches/second)

$$r = 10 \text{ inches}$$

$$LS = AS(r) = 3.6 \cdot \pi \frac{\text{rad}}{\text{second}} \cdot 10 \text{ inches} = 36 \cdot \pi \frac{\text{inches}}{\text{second}} \approx 113.1 \frac{\text{inches}}{\text{second}}$$

c. Determine the speed of the cart (give exact and approximate speed in feet/minute)

$$r = 10 \text{ inches} \cdot \frac{1 \text{ foot}}{12 \text{ inches}} = 10/12 \text{ feet} = \frac{5}{6} \text{ feet}$$

$$LS = AS(r) = 3.6 \cdot \pi \frac{\text{rad}}{\text{second}} \cdot \frac{5}{6} \text{ feet} = 3 \cdot \pi \frac{\text{feet}}{\text{second}} \approx 9.42 \frac{\text{feet}}{\text{second}}$$

$$LS = AS(r) = 3 \cdot \pi \frac{\text{feet}}{\text{second}} \cdot \frac{60 \text{ seconds}}{1 \text{ minute}} = 180 \cdot \pi \frac{\text{feet}}{\text{minute}} \approx 565.49 \frac{\text{feet}}{\text{minute}}$$

	B	C	D	E	F	G	H	I	J	K	L	M
1	given	d_1	20 inches									
2	given	r_1	10 inches									
3	given	rev_1	1.8 rev									
4	given	rev_1e	9/5 rev									
5		theta_1	18*pi/5									
6		as_1	18*pi/5									
7		as_1c	3.6									
8		s_1	36*pi									
9		r_2	5/6									
10		s_2	3*pi									
11		s_3	180*pi									
12												
13												
14												
15												
16												
17												
18												
19												
20												
21												
22												

## Problem 3

7. The diameter of the drum on an electric hoist is 14 inches. Find the approximate number of degrees through which the drum must rotate to lift a beam 3 feet.

$$AL = 3 \text{ feet} \quad AL = 3 \text{ feet} \cdot \frac{12 \text{ inches}}{1 \text{ foot}} = 36 \text{ inches}$$

$$r = 7 \text{ inches}$$

$$AL = \theta \cdot r$$

$$36 = 7 \cdot \theta$$

$$36/7 = 7 \cdot \theta/7$$

$$\theta = \frac{36}{7} \text{ radians}$$

$$\theta = \frac{36}{7} \text{ radians} \cdot \frac{180^\circ}{\pi \cdot \text{radians}} = \frac{6480}{7 \cdot \pi} \circ \approx 294.66^\circ$$

	B	C	D	E	F	G	H	I	J	K	L	M
1	given	d_1	14 inches									
2		r_1	7 inches									
3	given	aL_1	3 feet									
4		aL_2	36 inches									
5		theta_1	36/7 radians									
6		theta_2	6480/(7*pi) degrees									
7												
8												
9												
10												
11												
12												
13												
14												
15												
16												
17												
18												
19												
20												
21												
22												

## Problem 4

EC: Can a circle have the same circumference as its area?

$$C = d \cdot \pi$$

$$A = \pi \cdot r^2$$

$$\pi \cdot r^2 = d \cdot \pi$$

$$\pi \cdot r^2 = 2 \cdot \pi \cdot r$$

$$r^2 = 2 \cdot r$$

$$r^2 - 2r = 0$$

$$r \cdot (r - 2) = 0$$

$$r = 0 \text{ and } r = 2$$

OR

It is impossible to have circumference have the same measure as an area because the units are different

$$C = 2 \cdot 2 \cdot \pi = 4 \cdot \pi$$

$$A = 2^2 \cdot \pi = 4 \cdot \pi$$